



JFW

Practitioner's Docket No. HK9225US (formerly 25857)

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Yang et al.

Confirmation No. 4487

Application No.: 10/725,933

Group No.: 2891

Filed: December 3, 2003

Examiner: David A. Zarneke

For: FAN OUT TYPE WAFER LEVEL PACKAGE STRUCTURE AND METHOD OF THE SAME

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

Papers Enclosed


1. Revocation of Power of Attorney with New Power of Attorney and Change of Correspondence Address Form
2. Statement under 37 CFR 3.73(b) Form

Date: **December 12, 2005**

Reg. No.: 36,326

Tel. No.: 440-684-1090

Customer No.: 22203



Signature of Practitioner
Michael A. Jaffe

Kusner & Jaffe
Highland Place - Suite 310
6151 Wilson Mills Road
Highland Heights, OH 44143

CERTIFICATION UNDER 37 C.F.R. §§ 1.8(a) and 1.10*

*(When using Express Mail, the Express Mail label number is mandatory;
Express Mail certification is optional.)*

I hereby certify that, on the date shown below, this correspondence is being:

MAILING

XX deposited with the United States Postal Service in an envelope addressed to the Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

37 C.F.R. § 1.8(a)

XX with sufficient postage as first class mail.


37 C.F.R. § 1.10*

___ as "Express Mail Post Office to Addressee"

Mailing Label No. _____ (mandatory)

TRANSMISSION

___ facsimile transmitted to the Patent and Trademark Office, (703) _____ - _____



Signature

Date: **December 12, 2005**

Laura K. Cahill

(type or print name of person certifying)

* Only the date of filing (' 1.6) will be the date used in a patent term adjustment calculation, although the date on any certificate of mailing or transmission under ' 1.8 continues to be taken into account in determining timeliness. See ' 1.703(f). Consider "Express Mail Post Office to Addressee" (' 1.10) or facsimile transmission (' 1.6(d)) for the reply to be accorded the earliest possible filing date for patent term adjustment calculations.